

8.9 KUBÍČEK 'BOTTOM ENDS' WITH CAMERON OR THUNDER & COLT ENVELOPES

8.9.1 GENERAL INFORMATION

This supplement shall be inserted in the Flight Manual, in Section 8: 'Supplements' with the revisions record sheet amended accordingly.

Information contained herein supplements, or in the case of conflict, supersedes that contained in the basic Flight Manual. For Limitations, Procedures, and Performance Data not contained in this supplement, consult the basic Hot Air Balloon Flight Manual.

All references to the Kubíček Flight Manual refers to Flight manual Ref B0102, Issue dated 04 October 2005 or later EASA approved revision.

Issue 1 of this supplement has four pages.

There are no additional continued airworthiness instructions associated with this supplement.

8.9.2 LIMITATIONS

8.9.2.15 BASKETS

6. The maximum number of occupants and maximum payload of each variant of Kubíček basket is given in Table 13.
7. Where a partitioned basket is used, an approved pilot restraint harness must be fitted.

8.9.2.18 EQUIPMENT INTERCHANGEABILITY

1. The burners, baskets and cylinders manufactured by Kubíček Balloons which may be used in combination with Cameron and Thunder & Colt envelopes are listed in Section 8.9.9 of this supplement.

8.9.3 EMERGENCY PROCEDURES

No Change

8.9.4 NORMAL PROCEDURES

No Change

8.9.5 WEIGHT CALCULATIONS

No Change

8.9.6 BALLOON AND SYSTEMS DESCRIPTION

8.9.6.5 Basket

Refer to applicable Kubíček fire balloons Flight Manual.

8.9.7 BALLOON MAINTENANCE, HANDLING AND CARE

Refer to applicable Kubíček fire balloons Flight Manual.

8.9.9 EQUIPMENT LIST

8.9.9.2 Equipment List

Table 13 lists the Kubíček baskets which may be used with Cameron and Thunder & Colt envelopes.

Table 13 - Kubiček Balloons Baskets

Basket Category	Drawing Number	Basket Description	Applicable Cylinders	Applicable Burner Frames	Max. Payload (kg)	Max. Occupancy (kg)
L	K40y	210-250T	1, 1a, 2, 3	CB2505, CB2592, Kubicek K40Y Type	1200	12

Intentionally Blank Page